

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"593187".ap.	USPAT	OR	OFF	2011/02/24 11:31
L2	0	"20070148552".pn.	USPAT	OR	OFF	2011/02/24 11:32
L3	2	"20070148552".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/02/24 11:33
L4	5	"593187".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/02/24 11:33
L5	2	"20070148552".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/02/24 11:34
L6	3	JP-2004087491-\$.did. EP-1403947-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/02/24 11:37
L7	2	EP-1261059-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/02/24 11:41
L8	1538	fuel adj cell and (bipolar near2 plate separator) with (protrusion protuberance knob ridge channel cavity) with (anode cathode electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/02/24 11:43

L9	198	fuel adj cell and (bipolar near2 plate separator) with (protrusion protuberence knob ridge cavity) with (anode cathode electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/02/24 11:44
L10	448	fuel adj cell and (bipolar near2 plate separator) with (protrusion protuberence knob ridge cavity) with (anode cathode electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 11:44
L11	2	"20100075191".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 11:48
L12	2	"7144649".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 11:51
L13	488	fuel adj cell and (bipolar near2 plate separator interconnect) with (protrusion protuberence knob ridge cavity) with (anode cathode electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 11:52
L14	42	fuel adj cell and (bipolar near2 plate separator interconnect) with (interlocking)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 11:53

L15	116	solid with oxide with fuel adj cell and (bipolar near2 plate separator interconnect) with (protrusion protuberance knob ridge cavity) with (anode cathode electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 11:59
L16	0	(12/159180).APP.	USPAT; USOCR	OR	ON	2011/02/24 12:00
L17	547	429/460.ccls. 429/466.ccls. 429/469.ccls.	USPAT; USOCR	OR	ON	2011/02/24 12:14
L18	160	I17 and solid with oxide with fuel with cell	USPAT; USOCR	OR	ON	2011/02/24 12:20
L19	855	429/460.ccls. 429/466.ccls. 429/469.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:20
L20	291	I19 and solid with oxide with fuel with cell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:21
S55	4	"3554808".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/23 16:12
S56	17	("3554808").URPN.	USPAT	OR	ON	2011/02/23 16:12

2/ 24/ 2011 12:58:16 PM

C:\Documents and Settings\scullen\My Documents\EAST\Workspaces\ 10593187.wsp